

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S80	127439	(data or video or audio) with (power or voltage or gain) with (diff\$6 or change or level or adjust\$6 or variat\$6 or attennua\$6)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:13
S81	0	(375/\$or370/\$or455/\$or330/\$or348 /\$or379/\$).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:05
S82	0	(375/\$370/\$455/\$330/\$348/\$379/\$).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:06
S83	469950	((("375") or ("370") or ("455") or ("330") or ("348") or ("379"))).CLAS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:06
S84	25237	S80 and S83	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:07
S85	189110	(adjust\$6 or variat\$6 or attennua\$6 or chang\$4) near2 (frequency)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:08
S86	4183	S84 S85	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:09
S87	1710713	program\$6	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:09
S88	4757497	(power or voltage or gain)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:10
S89	255978	S87 same S88	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:11

EAST Search History

S90	1179	S89 and S86	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:12
S91	105839	(select\$5) near2 frequency	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:12
S92	532	S90 S91	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:19
S93	1191	(data or video or audio) near2 (size or content or bandwidth) with (power or voltage or gain) with (diff\$6 or change or level or adjust\$6 or variat\$6 or attennua\$6)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:14
S94	405	S93 S83	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:15
S95	110	S94 S85	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:15
S96	36	S89 S95	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 09:15
S97	2535492	(transmission adj line) trace ((impedance or coaxial) adj line) wire cable	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/03/14 14:27
S98	488494	(power or voltage or amplitude) near2 control	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/03/14 14:28
S99	3222677	detect sense observe find	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/03/14 14:30
S10 0	72810	S97 and S98 and S99	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/03/14 14:30
S10 1	329115	S99 with (frequency or voltage or amplitude)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/03/14 14:32

EAST Search History

S10 2	24608	S100 and S101	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/03/14 14:32
S10 3	530131	((("375") or ("330") or ("455") or ("333") or ("340") or ("370") or ("379"))).CLAS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:35
S10 4	4680	S102 and S103	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 14:41
S10 5	469950	((("375") or ("370") or ("455") or ("330") or ("348") or ("379"))).CLAS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:49
S10 6	189110	(adjust\$6 or variat\$6 or attennua\$6 or chang\$4) near2 (frequency)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 15:49
S10 7	1710713	program\$6	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 15:49
S10 8	4757497	(power or voltage or gain)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 15:49
S10 9	255978	S107 same S108	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 15:49
S11 0	1191	(data or video or audio) near2 (size or content or bandwidth) with (power or voltage or gain) with (diff\$6 or change or level or adjust\$6 or variat\$6 or attennua\$6)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 15:49
S11 1	405	S110 S105	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 15:56
S11 2	110	S111 S106	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 15:49

EAST Search History

S11 3	36	S109 S112	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 15:49
S11 4	1593731	transmission adj line or cable or coaxial or trace	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 15:57
S11 5	351	S110 and S114	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 15:57
S11 6	147	S105 and S115	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 15:57
S11 7	2609	(detect\$4 or sense or locate or determine) near4 (data or file) near S108 (size or volume)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 16:38
S11 8	415	S117 and S105	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 16:38
S11 9	153	S114 and S118	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/14 16:38
S12 0	14341	(detect or sense or identify) with (file or data or bit or input) with (size or volume)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 08:46
S12 1	57368	(select or pick or choose) with (power or voltage or current or frequency) with (level or amount or output)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 08:46
S12 2	396	S120 and S121	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 08:03
S12 3	530662	((("375") or ("330") or ("455") or ("333") or ("340") or ("370") or ("379"))).CLAS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 12:13

EAST Search History

S12 4	41	S122 and S123	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 08:04
S12 5	62603	(detect or sense or identify) same (file or data or bit or input) same (size or volume)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 08:46
S12 6	150490	(select or pick or choose) same (power or voltage or current or frequency) same (level or amount or output)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 08:47
S12 7	992	S125 and S126 and S123	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 08:47
S12 8	951	S127 not S124	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 08:49
S12 9	1616464	(transmission near2 line) or coaxial or cable or trace	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 08:50
S13 0	511	S128 and S129	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 10:28
S13 1	505267	(power or battery or energy) near4 (control or manage)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 10:30
S13 2	156	S131 and S120 and S121	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 10:30
S13 3	16	S132 and S123	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 10:58
S13 4	70583	(power or gain or energy) with (manage or control or limit or consume) with (channel or wire or cable or coaxial)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:11
S13 5	15825	S134 and S123	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:00

EAST Search History

S13 6	68376	(voltage or amplitude or frequency) near (detect or locate or find or sense)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:12
S13 7	439	S135 and S136	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:06
S13 8	177693	(power or gain or energy) same (manage or control or limit or consume) same (channel or wire or cable or coaxial)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:12
S13 9	483610	(voltage or amplitude or frequency) same (detect or locate or find or sense)	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:12
S14 0	38122	S138 and S139	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:12
S14 1	10500	S123 and S140	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:13
S14 4	13	"709808"	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:19
S14 8	57695	S139 and S123	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:16
S15 3	412945	(adjust or tune or adapt or set) same frequency	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:18
S15 5	108175	S139 and S153	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:20
S15 7	25839	S123 and S155	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:20
S15 8	4983279	transmission or cable or wire or channel or coaxial	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:21

EAST Search History

S16 1	23026	S158 and S157	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:22
S16 2	24598	program\$6 near2 voltage	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:28
S16 3	259	S161 and S162	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:31
S16 5	101028	select\$4 near2 frequency	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:33
S17 0	7157	S165 and S161	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:34
S17 1	190088	(amplitude or current) near2 detect\$4	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:34
S17 2	1087	S171 and S170	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:35
S17 3	14	S163 and S172	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:35
S17 5	202408	(regulat\$4 or contorl\$4 or set\$4 or manage\$4)near2 voltage	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:49
S17 6	304	S172 and S175	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 11:49
S17 7	558867	((("375") or ("330") or ("455") or ("333") or ("340") or ("370") or ("379") or ("713"))).CLAS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 12:14

EAST Search History

S17 8	26890	S177 and S155	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 12:14
S17 9	23744	S158 S178	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 12:15
S18 0	26890	S155 and S177	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 12:17
S18 1	7324	S165 S179	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 12:17
S18 2	1105	S181 S171	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 12:18
S18 4	320	S182 S175	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 12:18
S18 5	16	S184 not S176	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2007/03/15 12:18